## Some technological developments in high temperature generation using KMA and precise melting/phase relations of minerals and rocks under deep mantle conditions

- \*入船 徹男 $^{1,2}$ 、周 佑黙 $^1$ 、有本 岳史 $^1$ 、桑原 秀治 $^1$ 、野村 龍 $^3$ 、西 真之 $^1$ 、山口 桃子 $^1$ 、丹下 慶範 $^4$ 、栗林 貴弘 $^5$ 、劉 兆東 $^6$
- \*Tetsuo Irifune<sup>1,2</sup>, Youmo Zhou<sup>1</sup>, Takeshi Arimoto<sup>1</sup>, Hideharu Kuwahara<sup>1</sup>, Ryuichi Nomura<sup>3</sup>, Masayuki Nishi<sup>1</sup>, Momoko Yamaguchi<sup>1</sup>, Yoshinori Tange<sup>4</sup>, Takahiro Kuribayashi<sup>5</sup>, Zhaodong Liu<sup>6</sup>
- 1. 愛媛大学地球深部ダイナミクス研究センター、2. 東京工業大学地球生命研究所、3. 京都大学白眉センター/大学院人間・環境学研究科、4. 高輝度光科学研究センター利用研究促進部門、5. 東北大学理学研究科、6. 吉林大超硬材料研究所
  1. Geodynamics Research Center, Ehime University, 2. Eearth Life Science Institute, Tokyo Institute of Technology, 3. Hakubi Center/ Graduate School of Human and Environmental Studies, Kyoto University, 4. Research & Utilization Division, Japan Synchrotron Research Institute, 5. Graduate School of Science, Tohoku University, 6. Institute of Super Hard Materials, Jilin University

Technological developments in stable and homogeneous high temperature generation have been made using conventional LaCrO<sub>3</sub> or Re heater for Kawai-type multianvil apparatus (KMA) with tungusten carbide (WC) and sintered diamond (SD) anvils. For WC-KMA, stable temperature generation to ~3000 K has been achieved under the pressures up to ~27 GPa mainly for quench experiments. Temperatures of ~2000-2300 K have been produced stably for 20-180 minutes at pressures to ~65 GPa for *in situ* X-ray measurements using SD-KMA, in addition to the *ex situ* experiments.

Some experimental studies for precise determination of subsolidus and melting phase relations have successfully been made for some simple mineral systems, such as MgSiO<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub>, MgSiO<sub>3</sub>-FeSiO<sub>3</sub>, MgSiO<sub>3</sub> -CaSiO<sub>3</sub>, CaSiO<sub>3</sub>-SiO<sub>2</sub>, Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, KAlSi<sub>3</sub>O<sub>8</sub>-NaAlSi<sub>3</sub>O<sub>8</sub>, Al<sub>2</sub>SiO<sub>5</sub>, Ca<sub>3</sub>Al<sub>2</sub>Si<sub>3</sub>O<sub>12</sub>, etc. at temperatures near and above the typical geotherm at pressures corresponding to those of the mantle transition region to the middle part of the lower mantle. These studies have provided firm experimental databases for the mineralogy of the deep mantle, and also led to findings of some new high-pressure phases stable only under the very high-temperture conditions. Melting and associated partioning of some key trace elements in more complex chemical compositions have also been conducted under the pressures of the uppermost lower manlte to constrain the differentiation and evolution of the deep mantle.

キーワード:下部マントル、マルチアンビル装置、融解関係、相関係、高温高圧実験、技術開発
Keywords: lower mantle, multianvil apparatus, melting relations, phase relations, high pressure and high temperature experiment, technological development