## Japan Geoscience Union Meeting 2014

(28 April - 02 May 2014 at Pacifico YOKOHAMA, Kanagawa, Japan)

©2014. Japan Geoscience Union. All Rights Reserved.



ACG04-12

会場:413

時間:5月1日17:35-17:50

GCM の現在期間再現性を考慮したチャオプラヤ流域における将来流量予測 Application of performance metrics to climate models to project future river discharge in the Chao Phraya River basin

渡部 哲史 1\*; 平林 由希子 1; 鼎 信次郎 2

WATANABE, Satoshi<sup>1\*</sup>; HIRABAYASHI, Yukiko<sup>1</sup>; KANAE, Shinjiro<sup>2</sup>

Future river discharge in the Chao Phraya River basin was projected, taking into account the performance of multiple General Circulation Models (GCMs). Future hydrological simulations using outputs from multiple GCMs are important for assessing the uncertainty in the projections. In addition, consideration of the spread of GCM projections should be included in the analysis to appropriately evaluate extremes, as there can be significant differences among projections. This study, therefore, developed a bias-corrected dataset for multiple GCMs outputs and a performance metrics to evaluate each GCM in order to project future river discharge more appropriately.

To develop a bias-corrected future climate dataset, an advanced bias correction method is applied, in which the trend of variables from the reference to the projection period is preserved. Then, future river discharge was projected by the H08 hydrological model. The newly developed future climate dataset enabled us to conduct a projection that considered the spread of projection derived from multiple GCMs.

Several metrics to evaluate the performance of each GCM to reproduce monsoon precipitation were proposed to estimate performance-based projection because evaluation of GCM performance in simulating monsoon behavior is important for projecting future discharge in the Chao Phraya River basin. This study was performed to investigate the effects of performance metrics and to estimate the spread of projections derived from the differences in multiple performance metrics.

Multiple future projections using available GCM outputs were conducted in the Chao Phraya River basin and multiple weighted ensemble means were obtained using the proposed multiple metrics related to monsoon precipitation. We compared the projected results obtained and discuss the characteristics of each projection. The performance-based projections indicated that the future river discharge in September is increased by 60%?90% of the retrospective simulation. Our results highlight the importance of appropriate evaluation for the performance of GCMs.

キーワード: 気候変動, 河川流量

Keywords: Climate Change, River discharge

<sup>1</sup> 東京大学工学系研究科, 2 東京工業大学理工学研究科

<sup>&</sup>lt;sup>1</sup>the University of Tokyo, <sup>2</sup>Tokyo Institute of Technology