

## 近年の陸域炭素収支の増加に対する植生回復の役割

# The role of plant regrowth in recent enhancement of terrestrial carbon uptake

\*近藤 雅征<sup>1</sup>、市井 和仁<sup>1,2</sup>、パトラ プラビール<sup>3</sup>、ポールター ベンジャミン<sup>4,5</sup>、カジェ レオナルド<sup>5</sup>

\*Masayuki Kondo<sup>1</sup>, Kazuhito Ichii<sup>1,2</sup>, Prabir K Patra<sup>3</sup>, Benjamin Poulter<sup>4,5</sup>, Leonardo Calle<sup>5</sup>

1. 千葉大学 環境リモートセンシング研究センター、2. 国立環境研究所、3. 海洋研究開発機構、4. NASA ゴダード宇宙飛行センター、5. モンタナ州立大学

1. Center for Environmental Remote Sensing, Chiba University, 2. National Institute for Environmental Studies, 3. Japan Agency for Marine-Earth Science and Technology,, 4. NASA Goddard Space Flight Center, 5. Montana State University

Attributing drivers of net carbon uptake in detail leads to clarification of causes for the recent enhancement of carbon dioxide (CO<sub>2</sub>) uptake by the terrestrial biosphere. The increasing strength of the land uptake in the 2000s has been attributed so far to a stimulating effect of rising atmospheric CO<sub>2</sub> on photosynthesis (CO<sub>2</sub> fertilization). However, it is still arguable whether the CO<sub>2</sub> fertilization is a dominant cause for the recent enhancement of CO<sub>2</sub> uptake because, in addition to the level of atmospheric CO<sub>2</sub>, the terrestrial biosphere has undergone historical changes through land use and management. CO<sub>2</sub> emissions resulting from LUC activities account for ~9% of the total global anthropogenic CO<sub>2</sub> emissions, therefore changes in LUC could affect the course of the net sink-source pattern of CO<sub>2</sub> over time.

Here using an ensemble of biosphere models, we show a decadal-scale carbon uptake enhancement is induced not only by CO<sub>2</sub> fertilization, but also an increasing uptake by plant regrowth from past land use changes (LUC), with its effect most pronounced in eastern North America, southern and eastern Europe, and southeastern temperate Eurasia. Our analysis indicates that ecosystems in North America and Europe have established the current productive state through regrowth over a half-century, and those in temperate Eurasia are still in a recovering stage from active LUC in the 1980s. As the strength of model representation of CO<sub>2</sub> fertilization is still in debate, plant regrowth might have a greater potential to sequester carbon than indicated by this study.

キーワード：炭素収支、植生回復、土地利用変化

Keywords: carbon budget, plant regrowth, land use change