
[EE] Evening Poster | A (Atmospheric and Hydrospheric Sciences) | A-CG Complex & General

[A-CG34]Extratropical oceans and atmosphere

convener: Hatsumi Nishikawa(Institute of Low Temperature Science, Hokkaido University), Yoshi N Sasaki(Hokkaido University), Satoru Okajima(東京大学先端科学技術研究センター, 共同), Thomas Spengler(University of Bergen)

Mon. May 21, 2018 5:15 PM - 6:30 PM Poster Hall (International Exhibition Hall7, Makuhari Messe)

The extratropical ocean had been considered passive to atmospheric variability. Recent studies, however, revealed some active role of the extratropical ocean in modulating the atmosphere. The goal of this session is to deepen our understanding of the air-sea interaction in the extratropics. A wide variety of researches whose topics range from mesoscale to basin-scale, and from daily to global warming are welcomed. Researches on cloud, aerosol, and ecosystem related to the extratropical air-sea interaction are also welcomed.

[ACG34-P09]Impact of tropical convections on cold air outbreaks in East Asia

*Muhammad Rais Abdillah¹, Yuki Kanno¹, Toshiki Iwasaki¹ (1.Department of Geophysics, Graduate School of Science, Tohoku University)

Keywords: winter monsoon, cold air outbreak, tropical convection, ENSO, MJO

In winter (December-February), cold air outbreak (CAO) events dominate weather and climate in the extratropics. CAO is the equatorward outflow of cold air mass from the polar region. It is characterized by strong wind and sharp drop of temperature, and sometimes can lead to heavy snowstorms. East Asia, including Japan, is one of the regions where CAOs most frequently occur and thus can cause significant damages to the densely populated areas [1].

CAOs are basically driven by internal synoptic conditions in the extratropics. However, their variations are potentially affected by the tropical atmosphere. The tropics exhibit large formation of deep convective clouds whose abundant condensational heating excites the large-scale disturbances that may remotely control the extratropical atmosphere and thus the CAOs.

Our presentation will show how the tropical convections influence the occurrence of CAOs in East Asia. In short, the connection between CAOs and the tropics is prominent in the intraseasonal scale [2] and interannual scale [3]. In the intraseasonal scale, the CAOs are affected by the eastward-propagating Madden-Julian Oscillation (MJO). CAOs become particularly more active when the passage of MJO appears over the Maritime Continent. In the interannual scale, El Niño-Southern Oscillation plays a major role. The CAOs become less (more) active during El Niño (La Niña), respectively. A better understanding of tropical-extratropical interactions may improve the predictability of CAO events.

References

- [1] Shoji et al., 2014: *J. Climate*. 27, 9337–9348, doi: 10.1175/JCLI-D-14-00307.1
- [2] Abdillah et al., 2018: *J. Climate*. 31, 473–490, doi: 10.1175/JCLI-D-17-0147.1
- [3] Abdillah et al., 2017: *J. Climate*. 30, 2989–3007, doi: 10.1175/JCLI-D-16-0152.1