

---

[EJ] Evening Poster | A (Atmospheric and Hydrospheric Sciences) | A-CG Complex & General

## [A-CG38]Science in the Arctic Region

convener:Shun Tsutaki(The University of Tokyo), NAOYA KANNA(Arctic Research Center, Hokkaido University), Shunsuke Tei(北海道大学 北極域研究センター, 共同), Tetsu Nakamura(Faculty of Environmental Earth Science, Hokkaido University)

Thu. May 24, 2018 5:15 PM - 6:30 PM Poster Hall (International Exhibition Hall7, Makuhari Messe)

The Arctic and circumpolar region is the key area for the study of global change because the anthropogenic impact is projected to be the largest in this area due to the complicated feedback processes of the nature. A number of international and interdisciplinary research projects have been conducted for the studies on the land-atmosphere-ocean system. In order to understand the feedback processes occurring in the Arctic and to project the global warming in the future, we need to establish the intense observational network and to exchange the knowledge and information by combining the different scientific communities under the common interest of the Arctic. The objectives of this session are 1) to exchange our knowledge on the observational facts and integrated modelling and 2) to deepen our understanding on wide range of natural sciences related to the Arctic and the circumpolar region. Studies on humanities, social sciences, and interdisciplinary fields are also welcomed.

---

## [ACG38-P08]Intra-seasonal variations in CH<sub>4</sub> emissions observed by automatic and manual chambers, and in dissolved CH<sub>4</sub> concentration at taiga-tundra boundary in northeastern Siberia

\*Ryo Shingubara<sup>1,2</sup>, Tomoki Morozumi<sup>1</sup>, Shunsuke Tei<sup>2</sup>, Jun Murase<sup>3</sup>, Shinya Takano<sup>1</sup>, Rong Fan<sup>1</sup>, Trofim C. Maximov<sup>4,5</sup> (1.Grad. Sch. of Environ. Sci., Hokkaido Univ., 2.Arctic Research Center, Hokkaido Univ., 3.Grad. Sch. of Bioagr. Sci., Nagoya Univ., 4.Inst. for Biol. Problems of Cryolithozone SB RAS, 5.Inst. of Nat. Sci., North-Eastern Federal Univ.)

Keywords:methane flux, automatic chambers, dissolved methane, water level, stable isotope ratios, Russian Arctic

Methane emission from northern wetlands contributes significantly to the global CH<sub>4</sub> emission, and may be affected by changes in Arctic climate and ecosystems. Controls on CH<sub>4</sub> emission such as soil temperature, thaw depth, plant productivity and water level have been reported for northern wetlands (Nakano *et al.*, 2000, *Atmos. Environ.*; Parmentier *et al.*, 2011, *J. Geophys. Res. Biogeosci.*; Ström et al., 2015, *Biogeochem.*). Water level is important partly because water saturation in soil layer makes reductive conditions, which is essential for the CH<sub>4</sub> production by methanogenic archaea. However, formation of soil reductive conditions can lag water level rise as reported in subtropical pasture (Chamberlain *et al.*, 2016, *J. Geophys. Res. Biogeosci.*), which complicates relationship between water level and CH<sub>4</sub> flux. Our previous study (Shingubara *et al.*, 2016, *JpGU meeting*) reported that a wet event concurrent with heavy precipitation increased CH<sub>4</sub> flux for three years despite of decreasing water level at taiga-tundra boundary in northeastern Siberia, likely through soil reduction over multiple years.

To investigate intra-seasonal variation in CH<sub>4</sub> emission in detail, we observed CH<sub>4</sub> flux by automatic chambers at taiga-tundra boundary in the vicinity of Chokurdakh (70° 37' N, 147° 55' E) on the lowland of the Indigirka River in summers from 2013 to 2016. A transect was set across a sedge wet area, a sphagnum wet area and a shrub mound, and automatic chambers were installed

at these areas. These chambers were connected to a photoacoustic field gas monitor (INNOVA 1412, LumaSense Technologies) to monitor CH<sub>4</sub> flux. To assess variations in CH<sub>4</sub> production, oxidation and transport processes, dissolved CH<sub>4</sub> concentration,  $\delta^{13}\text{C}$  and  $\delta\text{D}$  were observed at observation points of manual chambers in 2011, 2012, 2013 and 2016, and at observation points of both manual and automatic chambers in 2016. Relationship of summer-season variations in CH<sub>4</sub> flux against water level changes (precipitation events and drainage) and thawing process of active layer will be discussed in this presentation.