[JJ] Evening Poster | B (Biogeosciences) | B-BG Biogeosciences & Geosphere-Biosphere Interactions

[B-BG02]Interrelation between Life, Water, Mineral, and Atmosphere convener:Ken Takai(Extremobiosphere Research Center, Japan Agency for Marine-Earth Science & Technology), Kentaro Nakamura(Department of Systems Innovation, School of Engineering, University of Tokyo), Yuichiro Ueno(東京工業大学大学院地球惑星科学専攻, 共同), Yohey Suzuki(Graduate School of Science, The University of Tokyo)

Mon. May 21, 2018 5:15 PM - 6:30 PM Poster Hall (International Exhibition Hall7, Makuhari Messe) Life on Earth is based on a diversity of physical and chemical dynamics and processes throughout the history. Interaction between life, water, mineral (rock) and atmosphere is a key to understand coevolution of Life and Earth. It is a brief since the pioneers proposed this session almost 20 years ago. Current JpGU meeting is filled with international- and interdisciplinary-joint sessions with similar aims to this session in responding to surrounding situations of JpGU and earth science field in Japan. Conveners believe that this session has provided an excellent opportunity to discuss such interdisciplinary research results and directions for about 20 years but are also afraid if this session may complete the initial goal. It is a matter for JpGU members to decide. This is a final call whether this session for oral presentation with your intension. If we have less than 12 abstracts for oral presentation, we will cease this session in 2018. Join to this session!

## [BBG02-P10]Nano-scale observations of interface between lichen and basaltic rock: Pseudomorphic growth of amorphous silica on silicate minerals

\*Tomoya Tamura<sup>1</sup>, Atsushi Kyono<sup>1</sup>, Yoko Kebukawa<sup>2</sup>, Sota Takagi<sup>1</sup> (1.Graduate School of Life and Environmental Sciences, University of Tsukuba, 2.Faculty of Engineering, Yokohama National University) Keywords:lichen-rock interaction, TEM, STXM, nano-scale

**Introduction:** In primary succession, lichen can be a typical pioneer species of terrestrial habitats. Recently, lichens are recognized as agents of mineral weathering at the interface between lichens and surface rocks. Much interest has been therefore devoted in recent years to the weathering induced by the lichen colonization. Here, we report nano-scale observations of the interface between lichens and basaltic rock by TEM and STXM techniques.

**Methods:** Some basaltic rocks totally covered by lichens were collected from the 1986 lava flows on the northwest part of Izu-Oshima volcano, Japan. To prepare specimens for the nano-scale observation, we utilized the focused ion beam (FIB) system. The microstructure and local chemistry of the specimens were thoroughly investigated by TEM equipped with energy-dispersive X-ray spectroscopy (EDX). Chemical components and chemical heterogeneity at the interface were observed by scanning transmission X-ray microscopy (STXM) at Advanced Light Source branch line 5.3.2.2 and at UVSOR branch line 4U.

**Results and discussion:** The basaltic rocks collected were classified into the augite-pigeonite-bronzite basalt including 6 to 8% plagioclase phenocrysts. The lichen adhering to the rocks was mainly *Stereocaulon vesuvianum*, fruticose lichen, which is widespread over the study area. The metabolites of the *S. vesuvianum* exhibited a mean pH of 4.5 and composed of atranorin and stictic acid. The STEM-EDX observations revealed that the interface between augite and lichen was completely covered with amorphous silica layer with a thickness of less than 1 µm. Ca L-edge and Fe L-edge STXM-XANES spectra of the augite showed that there was little difference among the spectra at each depth from the

interface between augite and amorphous silica. It indicates that intrinsic structure of the augite was maintained up to the interface. These results suggest that amorphous silica layer was formed by the process that is a synchronous coupling of stoichiometric dissolution of augite and reprecipitation of amorphous silica layer on the surface (Fig. 1).