
[EJ] Evening Poster | S (Solid Earth Sciences) | S-GD Geodesy

[S-GD02]Geodesy General Contributions &Global Geodetic Observing System

convener:Koji Matsuo(Geospatial Information Authority of Japan), Yusuke Yokota(Japan Coast Guard, Hydrographic and oceanographic department), Takahiro Wakasugi(国土交通省国土地理院)

Wed. May 23, 2018 5:15 PM - 6:30 PM Poster Hall (International Exhibition Hall7, Makuhari Messe)

In this session, general contributions from all areas of geodesy are welcomed. Topics of interest will include but not limited to recent advances in measurement techniques, reference frame realization, earth rotation or earth tide. In addition, this session also provides a forum for discussing GGOS (Global Geodetic Observing System) related observation programs, advancements of geodetic techniques, collaboration among various organizations in the world. Topics will include improvements of observing system and data analysis, participations in global programs, global reference frames and geodesy's contributions to society.

[SGD02-P10]Post-seismic displacements of the 2016 Kumamoto Earthquake by GNSS Campaign measurements

*Rintaro Miyamachi¹, Takeshi Matsushima², Kazuya Uchida², Yoshiko Teguri², Manami Nakamoto²
(1.Department of Earth and Planetary Sciences, Graduate School of Sciences, Kyushu University,
2.Institute of Seismology and Volcanology, Faculty of Science, Kyushu University)

Keywords:the 2016 Kumamoto Earthquake, GNSS Campaign measurements, post-seismic displacements

Since October 1999, seismic activity in the shallow crust of the Futagawa - Hinagu fault zone became active, and in June 2000 an earthquake with a magnitude of 4.8 occurred at the northern end of the Hinagu fault. To clarify the slip in the Hinagu fault and to obtain knowledge about the loading process to the fault, we set eleven observation points (Fig1, KM01 - KM11) on the survey line of about 30 km west-northwest - southeast-west orthogonal to the Hinagu fault of Misato-cho from Uto city. And we began GNSS Campaign observation from 2000 to 2010. At the reference point, we used a wooden precision tripod to fix the antenna and acquired data for 2 to 3 days.

After the Kumamoto earthquake in April 2016, we remeasured the same line. The seismic activity was active during the observation, the tripod deviation did not occur except for some observation points (KM04, 2 mm). For the crustal deformation during the occurrence of the Kumamoto earthquake, crustal deformation of up to 50 cm was observed. Since the amount of displacement is relatively small near the Hinagu fault, it is known that the earthquake fault has not reached the ground surface, dislocation of the fault is within the Northern part of the Hinagu fault on the north side of the survey line, and the underground earthquake fault is close to the sea side by 1 to 2 km from the trace of the active fault which is confirmed on the ground. The middle and southern segments of the Hinagu fault in the southern part of the survey line also proved to be still not moving significantly in this activity.

After the occurrence of the Kumamoto earthquake, the post-seismic displacements is still very active, including the Hinagu fault, and the measurement of the same line for the purpose of investigating post-seismic displacements was conducted in early July 2016 and early July 2017.

In addition, six observation points (KM13 to KM18) were set on the survey line (we called south line) of about 10 km in the northwest - southeast direction orthogonal to the Hinagu fault in Hachikawa town in Yatsushiro at the end of July 2016. We estimate post-seismic displacements from these data.

This work has been partly supported by the Comprehensive Research Project for the major active faults related to The 2016 Kumamoto Earthquake, and MEXT/JSPS KAKENHI Grant Number JP16H06298.