

## Life Detection Microscope (LDM): *In situ* imaging of living cells on surface of Mars

\*吉村 義隆<sup>1</sup>、山岸 明彦<sup>2</sup>、佐藤 毅彦<sup>3</sup>、宮川 厚夫<sup>2</sup>、今井 栄一<sup>4</sup>、佐々木 聡<sup>5</sup>、小林 憲正<sup>6</sup>、癸生川 陽子<sup>6</sup>、藪田 ひかる<sup>7</sup>、長沼 毅<sup>8</sup>、三田 肇<sup>9</sup>、藤田 和央<sup>3</sup>、臼井 寛裕<sup>10</sup>

\*Yoshitaka Yoshimura<sup>1</sup>, Akihiko Yamagishi<sup>2</sup>, Takehiko Satoh<sup>3</sup>, Atsuo Miyakawa<sup>2</sup>, Eiichi Imai<sup>4</sup>, Satoshi Sasaki<sup>5</sup>, Kensei Kobayashi<sup>6</sup>, Yoko Kebukawa<sup>6</sup>, Hikaru Yabuta<sup>7</sup>, Takeshi Naganuma<sup>8</sup>, Hajime Mita<sup>9</sup>, Kazuhisa Fujita<sup>3</sup>, Tomohiro Usui<sup>10</sup>

1. 玉川大学農学部、2. 東京薬科大学生命科学部、3. 宇宙航空研究開発機構宇宙科学研究所、4. 長岡技術科学大学生物機能工学専攻、5. 東京工科大学医療保健学部、6. 横浜国立大学大学院工学研究院、7. 広島大学大学院理学研究科地球惑星システム学専攻、8. 広島大学大学院生物圏科学研究科、9. 福岡工業大学工学部、10. 東京工業大学地球生命研究所

1. College of Agriculture, Tamagawa University, 2. Department of Molecular Biology, Tokyo University of Pharmacy and Life Science, 3. Institute of Space and Astronautical Science, Japan Aerospace Exploration Agency, 4. Department of Bioengineering, Nagaoka University of Technology, 5. School of Health Sciences, Tokyo University of Technology, 6. Faculty of Engineering, Yokohama National University, 7. Department of Earth and Planetary Systems Science, Hiroshima University, 8. Graduate School of Biosphere Science, Hiroshima University, 9. Faculty of Engineering, Fukuoka Institute of Technology, 10. Earth-Life Science Institute, Tokyo Institute of Technology

Today's Mars is a cold and dry planet, but the Mars of years past would have had a large amount of liquid water on the surface. Several billion years ago, Mars could have been similar to the early Earth from which life arose, and life may have also originated on Mars during this period. Although the Viking mission in 1976, which explored life on Mars, did not find evidence for life [1], many findings associated with the possibility of life have been discovered since the Viking mission: past and present aqueous environments, organic compounds, methane, reduced compounds for microorganism energy sources, and so on [2] [3]. These findings suggest that microorganisms might exist on Mars surface.

For searching extant microorganisms, a microscopic instrument would be a powerful tool, which directly images life forms and identify their shapes, sizes, and other morphological structures, but it has not been used in space missions yet. For *in situ* detection of microbial cells, we have proposed the Life Detection Microscope (LDM) which visualizes organic compounds by staining the samples with fluorescent pigments [4]. The LDM scans a volume of 1 mm<sup>3</sup> and detects organic compounds including cells and other biological materials in high sensitivity (<10<sup>4</sup> cells per gram clay). The fluorescent pigments have been selected to identify the fundamental features of cells by differentiating among organic compounds surrounded by membranes or enzyme activity. The LDM is also equipped with a high resolution imaging system (1 μm/pixel) which visualizes detailed life forms as well as regolith and dust particles.

The search for living microorganisms is important not only for scientific interest but for planetary protection. Before future human missions begin, surveys investigating the presence of living microorganisms should be conducted to mitigate the risk of human contact with Martian microorganisms, which may be harmful to human health. The LDM would be effective tool for this purpose.

### References

- [1] Margulis, L. et al. J. Mol. Evol. 14, 223-232 (1979)
- [2] Ming, D.W. et al. Science Express Dec.19 (2013)
- [3] Webster, C.R. et al. Science Express Dec. 16 (2014)
- [4] Yamagishi, A. et al. Biol. Scie. Space, 24, 67-82 (2010)

