Planetary and exoplanetary observations with the Haleakala telescopes and future 1.8-m off-axis telescope PLANETS

*坂野井 健¹、鍵谷 将人¹、中川 広務²、ベルデュギン アンドレイ³、ピローラ ビルップ³、ベルデュギ ナ スベトラーナ⁴、クーン ジェフリー⁵、エミリオ マルチェロ⁶、小原 隆博¹、笠羽 康正² *Takeshi Sakanoi¹, Masato Kagitani¹, Hiromu Nakagawa², Andrei Berdyugin³, Vilppu Piirola³, Svetlana V Berdyugina⁴, Jeffery R Kuhn⁵, Marcelo Emilio⁶, Takahiro Obara¹, Yasumasa Kasaba²

 1. 東北大学大学院理学研究科惑星プラズマ・大気研究センター、2. 東北大学大学院理学研究科、3. フィンランド・トゥル ク大学、4. ドイツ・ケーペンハウワー太陽物理研究所、5. ハワイ大・天文研究施設、6. ブラジル・ポンタグロッサ大学
1. Planetary Plasma and Atmospheric Research Center, Graduate School of Science, Tohoku University, 2. Graduate School of Science, Tohoku University, 3. University of Turku, Finland, 4. Kiepenhener Institute for Solar Physics, Germany, 5. Institute for Astronomy, University of Hawaii, USA, 6. Observatório Atronômico, Universidade Estadual de Ponta Grossa, Brazil

We report the current status of the T40 and T60 telescope activities including the onboard instruments as well as the updates of 1.8-m aperture telescope PLANETS project at Haleakala dedicated to planetary and exoplanetary observations. Continuous monitoring is essential to understand the planetary atmospheric phenomena, and therefore, own facilities with even small- and medium sized telescopes and instruments are important. The location of our telescopes, the Haleakala High Altitude Observatories at the summit of Mt. Haleakala is sufficiently high (3050m), and one of the best sites with clear sky, good seeing, and low humidity conditions.

On the summit, our group is now operating a 40 cm Schmidt-Cassegrain (T40) and 60 cm Cassegrain (T60) telescopes. T40 telescope is mainly observing faint atmospheric features such as lo torus, Mercury, and so on. It has uniquely provided long-term lo torus activities for more than ten years. T60 is now observing planetary atmospheres in visible and infrared range: MIRAHI is a newly developed mid-infrared heterodyne spectrometer. Vispec is a visible spectrometer with coronagraph to observe the lo's sulfur ion torus, lo's sodium cloud, and Enceladus torus. Further, the polarization imager DIPOL-2 is installed to measure the weak polarization of exoplanetary light. These activities are open to any possible collaborators. Our and guest investigators' observations are also linked to Mercury, Venus (Akatsuki), Mars (Mars Express, MAVEN) and Jupiter (Juno) missions.

In addition, we are carrying out a 1.8-m off-axis telescope project PLANETS at Haleakala, Hawaii. This project is managed by the PLANETS Foundation (www.planets.life) is an international collaboration of several institutes from Japan, USA, Germany, Brazil, and France. This off-axis optical system enables very low-stray light contamination and high-contrast in data, i.e., 'high dynamic range'. It will achieve unrivaled scientific capabilities on coronagraphy and polarimetry, aimed at detecting exoplanet reflected light and tenuous planetary exoatmospheres in the Solar system. It will have a Gregoian focus with a FOV of 6' (Fno=13) and a Coude focus with a FOV of 20" (Fno=49). The main mirror is Clearceram Z-HS with a diameter of 1850 mm, which is now on the final polishing process. We have completed the telescope design and wind analysis of the mechanical support and tracking. The offaxis design is most efficiently contained in a 'splitring' mount. The mount is very stiff and has a first vibration mode above 50 Hz. The PLANETS telescope mechanical design should allow operation without a dome and external wind shielding up to windspeeds of 5m/s. The servo control on both axes will not require high gain and should result in image jitter of less than 0.4" at frequencies less than 25 Hz during light to moderate winds (windspeeds less than15mi/hr). A bode plot of the proposed control system illustrates that unity gain is achieved beyond about 30 Hz.

キーワード:惑星、英外惑星、ハレアカラ、木星、火星、金星 Keywords: planet, exoplanet, Haleakala, Jupiter, Mars, Venus