

熱圏-電離圏結合データ同化モデルによる擾乱時電離圏モデリング

The disturbed-time ionospheric modeling by coupled thermosphere-ionosphere data assimilation system

*陳 佳宏¹、Lin Charles¹、Matsuo Tomoko²

*Chia-Hung Chen¹, Charles Lin¹, Tomoko Matsuo²

1. 台湾国立成功大学地球科学学科、2. コロラド大学航空宇宙工学

1. Department of Earth Sciences, National Cheng Kung University, 2. Ann and H. J. Smead Department of Aerospace Engineering Sciences, University of Colorado at Boulder, CO

Data assimilation system is a powerful tool to modeling the ionosphere during quiet and disturbed conditions in more realizations. Recently, we have developed a coupled thermosphere-ionosphere data assimilation system and discussed its capability in the ionospheric forecasting and the scientific issues in the ionosphere. In the first of this presentation, I will introduce the data assimilation system developed in this study by assimilating total electron content (TEC) into a coupled thermosphere-ionosphere model. Then I will show the capability of this system on the geomagnetic storm-time ionospheric forecasting, evening eastward pre-reversal enhancement (PRE) electric field, and the neutral atmosphere adjustments (neutral winds, neutral temperatures, and neutral compositions) during 21 August 2017 solar eclipse event.

キーワード：電離圏データ同化モデル、日食時の電離圏変化、磁気嵐時の電離圏予測

Keywords: ionospheric data assimilation model, ionospheric responses on the solar eclipse, ionospheric forecasting during geomagnetic storm