

アウターライズ地震による津波の即時予測手法の再検討

Improvement of Real-time Tsunami Forecast System for Outer-rise Earthquake

*近貞 直孝¹、馬場 俊孝²

*Naotaka YAMAMOTO CHIKASADA¹, Toshitaka Baba²

1. 防災科研、2. 徳島大学

1. NIED, 2. Tokushima University

The outer-rise earthquakes often induce the behavior of the unusual tsunamis. For example, it induces an abnormally larger tsunami than expected from its seismic ground motion, called tsunami earthquake and/or contains short wavelength components produced by sea floor displacements caused by shallow depth fault slip. Additionally, the depressed wave usually arrives preceding the first elevated wave for the normal fault earthquake tsunamis. National Research Institute for Earth Science and Disaster Resilience (NIED) has developed real-time tsunami inundation forecasting method using real-time ocean bottom pressure data taken by the dense offshore observation network such as the Seafloor observation network for earthquakes and tsunamis (S-net) that has been constructed along the Japan Trench (Chikasada et al., 2019, Technical Report of NIED; Yamamoto et al., 2016, EPS). They calculated synthetic tsunami waveforms at the observation locations by solving nonlinear long-wave equations using a staggered leapfrog finite-difference scheme. A run-up boundary condition was applied to the coastal regions and an open boundary condition was applied to the rims of calculation region. But they did not consider about dispersive wave (Baba et al., 2017, Ocean Modeling) neither the attenuation effect of ocean bottom pressure changes (Chikasada et al., 2018, AGU).

Therefore, we reconsidered the effects of the dispersion term and the attenuation for a few thousands tsunami scenarios stored in the Tsunami Scenario Bank (TSB). As a result, we confirmed that these two effects possibly cause underestimation in real-time tsunami forecast. Therefore, we need to update waveforms calculated and registered for outer-rise earthquake into the TSB with a dispersion term. However, it is quite time-consuming task to solve non-linear long-wave equations with Boussinesq terms. In order to reduce calculation time, the linear long-wave equations with Boussinesq terms could be used to generate offshore synthetic waveforms. We considered the attenuation effect as well.

本研究の一部はJSPS科研費JP15H05718とJP18K04674の助成を受けたものです。記して感謝致します。

キーワード：津波、アウターライズ地震、海底水圧観測

Keywords: Tsunami, Outer-rise earthquake, Ocean bottom pressure observation