

Utilizing deception information for dialog management of doctor-patient conversations.

Nguyen The Tung^{*1}, Koichiro Yoshino, Sakriani Sakti, Satoshi Nakamura

Graduate School of Information Science, Nara Institute of Science and Technology

Almost all of existing negotiation systems assume that their interlocutors (the user) are telling the truth. However, in negotiations, participants can tell lies to earn a profit. In this research, we proposed a negotiation dialog management system that detects user's lies and designed a dialog behavior on how should the system react with. As a typical case, we built a dialog model of doctor-patient conversation on living habits domain. We showed that we can use partially observable Markov decision process (POMDP) to model this conversation and use reinforcement learning to train the system's policy.

1. Introduction

Recently, negotiation dialog has attracted the attention of many researchers around the world. Other than improving the efficiency of dialog management, the focus of these studies have switched from passive role systems (eg. restaurant, tourist information provider) to become more actively systems that can influence the user's decision (persuasive technology) [5, 10]. Most of current researches mainly deal with cooperative dialog, in which the system and the user work together to reach a balanced point. However, there are situations that the mutual goal cannot be reached (non-cooperative dialog) [11, 3].

Existing works [3] did not cover the situation in which participants use "false promises" tactics - which can directly impact the outcome of negotiation. For example, someone pretends to give up unhealthy custom (eg. smoking/drinking) after receiving advices from friends or family but he actually does not have intention to follow the advice. [12] put a learning agent that can tell lies against an adversary who consider lies with contradiction in simulation.

In this paper, we focus on a typical example of negotiation, the doctor-patient conversation on living habits domain. In this type of dialog, the patient has their own perspective and opinions about their health condition. The doctor needs to consider these opinions when making a treatment plan (recommend a new habit) and negotiates with users to reach a plan that satisfy both user's demand and requirements of the treatment. Patients sometimes tell lies because they do not want to change their habit, thus considering deceptive information will improve the negotiation strategy of the doctor.

2. Scenario and Modeling

2.1 Dialog scenario

This work considers a dialog scenario between a system (doctor) and a user (patient). They discuss about user's living habit, which can be about: sleeping, food, working/studying, exercise, social media usage and leisure activities. The system tries to convince the user that they need to change to a more healthy living habit. The system persuades the user by giving them information

about the new habit (system's recommendation), health benefits of the new habit and negative effects of user's current habit. This action is denoted as Framing in this research. On the other hand, the user wants to continue the current habit and gives reasons to show that it is too difficult for him to change. The system behaves cooperatively; if user's reason is honest, system will give an easier recommendation.

To make the conversation simpler, only the system can propose recommendations, the user cannot suggest what habit they should change to. However, the users are allowed to use dishonest reasons to make the system offer an easier recommendation. The user can also pretend to accept the system's offer while they actually do not intend to change their current habit.




Figure 1: Flow chart of the conversation.

Figure 1 describes the proposed dialog behavior, which considers deceptions of the user. In this flowchart, rectangles indicate system actions. The set of dialog acts for the system includes:

Offer: the system offers a recommendation to the user, which means the system suggests the user should change to a new habit.

Framing: the system provides information about the new living habit, the necessity and health benefits of the habit and consequences if the user keep the current habit.

End: the system ends the conversation.

Contact: Nara Institute of Science and Technology;
8916-5 Takayama, Ikoma, Nara;
{nguyen.tung,np5,koichiro,ssakti,s-nakamura}@is.naist.jp

For persuasive dialog, framing technique was shown to be a very effective way to convince users to accept the system's goal ([5]). On the other hand, the user can react with different actions as described below:

Accept: the user accepts the system's recommendation (offer). The user can pretend that s/he accept the system's offer.

Reject: the user rejects the recommendation given by the system and gives reason why s/he rejects it. In order to make the system to give an easier habit, the user can reject with a deceptive reason.

Hesitate: the user says he/she is unsure about whether to accept the offer or not.

Question: the user asks the system about the benefits of new habit or asks the system to give a clear explanation it.

According to a study by [7], when the patient is lying, the doctor should tell the patient about the necessity and benefits of the treatment plan and consequences if patient refuses to follow it. Applying to the "living habit" scenario, the most logical reaction when the user is telling lie (uses fake reasons or pretend to agree) is Framing. In contrast, a conventional negotiation system that does not consider user's deception always offer a new recommendation when the user rejects and end the conversation when the user agrees regardless whether they are telling the truth or not.

2.2 Policy Management using POMDP

To find the best strategy of dialog system against the user deception, considering errors of dialog act classification and deception detection for user utterance is necessary, because these model do not have 100% accuracy. Partially observable Markov decision process (POMDP) is widely used to learn the best strategy of dialog systems for such error containing cases [13].

The equation for updating belief state of a POMDP can be written as:

$$b^{t+1} \propto P(o^{t+1}|s^{t+1}) \sum_{s_t} P(s^{t+1}|s^t, a^t) b^t \quad (1)$$

Apart from user's action s^t , the proposed dialog system also uses deception information for dialog management. To solve this problem, we used method in a similar work for user focus by [13]. By extending Equation (1) with deception information of the current turn d^t and next turn d^{t+1} , we have the belief update of the proposed system:

$$b_{s,d}^{t+1} \propto P(o_s^{t+1}, o_d^{t+1} | s^{t+1}, d^{t+1}) \sum_{s^t, d^t} P(s^{t+1}, d^{t+1} | s^t, d^t) b_{s,d}^t \quad (2)$$

With the observation result come from SLU and Deception Detection modules being denoted as o_s and o_d respectively.

In this research, we use Q-learning, a popular method to train the optimal policy π^* . We utilize Grid-based Value Iteration method proposed by [2]. The belief is calculated by:

$$b_{s_i} = \begin{cases} \mu & \text{if } s = o \\ \frac{1-\mu}{|S|-1} & \text{otherwise} \end{cases} \quad (3)$$

μ represent the rounded probability for every 0.1 that the observation comes from SLU and Deception Detection equal to actual user state and deception information.

Dialog state		Rewards		
User DA (s)	d	Offer	Framing	End
Accept	0	-10	-10	+100
	1	-10	+10	-100
Reject	0	+10	+10	-100
	1	-10	+10	-100
Question	0	-10	+10	-100
Hesitate	0	+10	+10	-100

Table 1: Rewards in each turn.

In table 1, we show the reward received for each turn.

2.3 Deception Detection using multi-modal approach

There are various clues that can help us to detect lies, which include lexical modal, acoustic modal, gestures and facial expressions. As a result, multi-modal approach that combines those modalities was proved to be very efficient in detecting deception [8]. Thus, we also utilized multi-modal approach with acoustic and facial features to build the deception detection module.

To extract facial features, we used OpenFace toolkit developed by [1]. From this tool, we were able to extract 14 face AU (Action Unit) regression and 6 AU classification values as well as head position, head direction parameters. All these values are then normalized and discretized into 5 different levels of intensity.

Acoustic features are extracted from audio files using OpenS-MILE tool [4]. The acoustic feature template was taken from the work by [6]. From the pitch and loudness values, we calculated maximum (*max*), minimum (*min*), mean (*mean*) and standard deviation (*std*). The duration-related features include: percentage of frame with voice, percentage of frame with lower pitch than previous frame (falling pitch), percentage of frame with higher pitch than previous frame (raising pitch).

The classification model that we used for deception detection is Multi Layer Perceptron with hierarchical structure to combine acoustic and facial features. This method was proposed by [9] for emotion detection task. In particular, for our research, we put facial features directly into the first layer of the network while acoustic features are incorporated at the second hidden layer.

To test the effectiveness of the deception detection module, we used data from recorded conversations between 2 participants. One of them plays the role of a doctor and the other one's role is a patient. In this conversation, the "patient" will try to get a prescription from the "doctor" by telling lies about his health condition. Deception label for each utterance was manually annotated by themselves. The total number of utterances in this data is 146. We took 34 of them (17 honest, 17 deceptive) to use as test data. Results of the experiment are shown in Table 2.

	Features combine	Decision combine	Hierarchical
Precision	61.77%	67.65%	64.71%
Recall	35.29%	41.17%	58.23%

Table 2: Deception detection accuracy.

3. Experiments of dialog management system

3.1 Data

Due to the difficulties of recruiting actual doctors and patients to collect the data, the participants who took part in data collection are students who have good level of English fluency. All participants are working at the same academic environment at the time of data collection.

The data used for the experiments are recorded using the “living habits” dialog scenario in Wizard-of-Oz (WoZ) setup. Each recording session is carried out by 2 participants who play the role of the system and the user respectively. Each session consists of 6 dialogs for each of the living habit topic. The participants who play the role of the user (patient) are given payment as reward for the outcome of the conversation. If they pretend to agree with the system’s offer, they will receive lower payment. On the other hand, if they choose to truly agree with the system’s offer they will get higher payment with a condition that they will need to change to the new habit for one week. The payment is to create the situation where the user has to choose between an easy activity (continue current habit) with low reward and an activity that is difficult but has higher reward in return (change to new habit) to observe more lies.

There are total of 7 participants who take part in the recordings. 4 of them played the role of the system and 6 played the role of the user (participants who played the role of the user can switch their role to doctor in later recordings.) In the end, the recorded training data are about 3 hours 20 minutes long with a total of 883 utterances. Labels of DA are annotated by one expert and labels of deception are provided by the participant who made the deception.

With test corpus, recordings are done as direct conversations between participants. The recording setup is similar to WoZ scenario but without the help of TTS since the participants are now talking directly with each other. This type of evaluation data contains 936 utterances and about 2 hours 35 minutes in length. Table 3 shows statistics of the collected data.

Data	System DA			User DA				% lie in user's utterances
	End	Framing	Offer	Hesitate	Question	Accept	Reject	
Train	14.43%	43.30%	42.27%	21.69%	3.61%	51.81%	22.89%	18.07%
Test	17.54%	36.26%	46.20%	17.64%	9.86%	19.72%	52.82%	14.08%

Table 3: Deception and dialog acts statistic.

3.2 Results

Dialog policy	Success rate	Avg. offer
Conventional	21.83%	2.472
Proposed policy	29.82%	2.447

Table 4: Success rate and average offer per succeeded dialogs.

First, we test the negotiation efficiency of the learned policy by comparing it with a baseline negotiation policy (denoted as Conventional in Table 4) that treats user’s utterances as honest. With this baseline policy, the system receives reward similar to Table 1 but only for the case when user is being honest ($d = 0$); because with this policy, deception is not taken into account. We let the system interacted with a simulated user created from test data for 100,000 dialogs. The simulator is created with the same method

as described in [13]. The transition probabilities are given by:

$$P(s^{t+1}, d^{t+1} | s^t, d^t, \hat{a}^t) = \underbrace{P(s^{t+1} | d^{t+1}, s^t, d^t, \hat{a}^t)}_{\text{intention model}} \underbrace{P(d^{t+1} | s^t, d^t, \hat{a}^t)}_{\text{deception model}} \quad (4)$$

Probabilities for **intention model** and **deception model** are calculated from test data using maximum likelihood.

Performance is evaluated with success rate and average offer per succeeded dialog. Success rate is the percentage of dialogs in which user truly accepts the system’s offer. For the second evaluation metric, average offer; since every time the system makes an Offer action, the new habit will be easier but gives less health benefit, thus it is less favorable for the system. Therefore, using fewer offers to successfully persuade the user is better. From the results shown in Table 4, it is clear that our proposed system outperforms the baseline.

Dialog system	DA accuracy	Deception handling
Conventional	68.15%	35.00%
Proposed policy + gold-label deception	80.45%	80.00%
Proposed policy + predicted deception	79.32%	55.00%

Table 5: Dialog selection acts accuracy.

Next, we evaluate the performance of the system’s dialog acts decision. The accuracy are measured with 2 metrics. DA accuracy refers to the accuracy of the system’s chosen dialog acts against reference actions that were chosen by human. Deception handling indicates the accuracy of dialog acts decision when user is lying. From the results of Table 5, we can see that our proposed system outperformed the baseline again.

4. Conclusions

In this paper, we present a negotiation strategy that counter deception in doctor-patient conversation. We also propose a dialog system that utilize this strategy and showed the construction and performance of each module. Experiment results proved that the proposed strategy outperformed normal negotiation strategy significantly, beating it by more than 8% in chance of successful persuasion. DA accuracy experiments indicated that the learned policy achieved a good level of naturalness when compared to human behavior in the same scenario. In future, we would like to combine the modules and conduct experiments of the system with human.

References

- [1] Tadas Baltrušaitis, Peter Robinson, and Louis-Philippe Morency. 2016. Openface: an open source facial behavior analysis toolkit. In Applications of Computer Vision (WACV), 2016 IEEE Winter Conference on. IEEE, pages 1–10.
- [2] Blai Bonet. 2002. An e-optimal grid-based algorithm for partially observable markov decision processes. In Proc. of the 19th Int. Conf. on Machine Learning (ICML-02).
- [3] Ioannis Efstathiou and Oliver Lemon. 2014a. Learning non-cooperative dialogue behaviours. In Proceedings of the

- 15th Annual Meeting of the Special Interest Group on Discourse and Dialogue (SIGDIAL). Association for Computational Linguistics, Philadelphia, PA, U.S.A., pages 60–68. <http://www.aclweb.org/anthology/W14-4308>.
- [4] Florian Eyben, Martin Wollmer, and Bjorn Schuller. 2010. Opensmile: the munich versatile and fast open-source audio feature extractor. In *Proceedings of the 18th ACM international conference on Multimedia*. ACM, pages 1459–1462.
- [5] Takuya Hiraoka, Graham Neubig, Sakriani Sakti, Tomoki Toda, and Satoshi Nakamura. 2014. Reinforcement learning of cooperative persuasive dialogue policies using framing. In *COLING*, pages 1706–1717.
- [6] Julia Hirschberg, Stefan Benus, JasonMBrenier, Frank Enos, Sarah Friedman, Sarah Gilman, Cynthia Girand, Martin Graziarena, Andreas Kathol, Laura Michaelis, et al. 2005. Distinguishing deceptive from non-deceptive speech. In *Inter-speech*, pages 1833–1836.
- [7] Karin I Kjellgren, Johan Ahlner, and Roger Säljö. Taking antihypertensive medication controlling or co-operating with patients? *International journal of cardiology*, 47(3):257–268, 1995.
<https://doi.org/10.1023/A:1005719122519>.
- [8] Verónica Pérez-Rosas, Mohamed Abouelenien, Rada Mihalcea, and Mihai Burzo. 2015a. Deception detection using real-life trial data. In *Proceedings of the 2015 ACM on International Conference on Multimodal Interaction*. ACM, pages 59–66.
- [9] Leimin Tian, Johanna Moore, and Catherine Lai. 2016. Recognizing emotions in spoken dialogue with hierarchically fused acoustic and lexical features. In *Spoken Language Technology Workshop (SLT), 2016 IEEE*. IEEE, pages 565–572.
- [10] Kristian Törning and Harri Oinas-Kukkonen. 2009. Persuasive system design: state of the art and future directions. In *Proceedings of the 4th international conference on persuasive technology*. ACM, page 30.
- [11] David R Traum. 2008. Computational models of noncooperative dialogue .
- [12] Aimilios Vourliotakis, Ioannis Efstathiou, and Verena Rieser. 2014. Detecting deception in noncooperative dialogue: A smarter adversary cannot be fooled that easily. In *Proceedings of the 18th Workshop on the Semantics and Pragmatics of Dialogue (SemDIAL)*. Edinburgh, Scotland, U.K., pages 252–254.
- [13] Koichiro Yoshino and Tatsuya Kawahara. 2015. Conversational system for information navigation based on pomdp with user focus tracking. *Computer Speech & Language* 34(1):275–291.
- [14] <https://www.wsj.com/articles/SB10001424127887323478004578306510461212692>
- [15] <https://www.zocdoc.com/about/news/new-zocdoc-study-reveals-women-are-more-likely-than-men-to-lie-to-doctors/>
- [16] <http://articles.latimes.com/2009/jun/08/health/he-lying8>