

Subwavelength light focusing and imaging via wavefront shaping

YongKeun Park¹

¹Department of Physics, KAIST, Daejeon 305-701, Republic of Korea

E-mail: yk.park@kasit.ac.kr

We demonstrate that multiple scattering can be controlled via wavefront shaping in order to obtain a sub-diffraction limited focus at an arbitrary position and the full-field dynamic sub-wavelength imaging. Due to the random structure of the highly scattering media there are no restrictions on the physical position of the focus giving the system a high degree of freedom. We also present that the full-field dynamic sub-wavelength imaging can be obtained by transferring the optical near-field into propagating far-field components by multiple light scattering from disordered nanoparticles, which was previously demonstrated in microwave regime.

In many fields of research, the diffraction-limited optical resolution with visible light is a limiting factor, which cannot be easily surpassed simply by using shorter wavelengths to lower the diffraction limit. Besides the technological difficulties in fabricating optical components for shorter wavelengths at the UV or X-ray range, photons at these energy levels are usually either harmful or have negligible light-matter interaction which discourages their use as optical probes. This is especially pronounced in the field of bio-imaging where probing at the sub-cellular regime is critical for the understanding of cellular mechanism.

In this work, we demonstrate that we multiple light scattering can be utilized to obtain a sub-diffraction limited focus at an arbitrary position. Through multiple scattering, impinged far-fields are transformed into random near-fields after transmitting turbid media. Using a spatial light modulator which can control the phase of the impinging far-fields, we demonstrate that the phase of the near-fields can be controlled as well. Due to the random structure of the highly scattering media, there are no restrictions on the physical position of the focus giving the system a high degree of freedom.

1. Park, C., et al. Full-Field Subwavelength Imaging Using a Scattering Superlens. *Phys Rev Lett* 113, 113901 (2014).
2. Park, J.-H., et al. Subwavelength light focusing using random nanoparticles. *Nature photonics* 7, 454-458 (2013).
3. Yu, H., et al. Measuring Large Optical Transmission Matrices of Disordered Media. *Phys Rev Lett* 111, 153902 (2013).
4. Yu, H., et al. Recent advances in wavefront shaping techniques for biomedical applications. *Current Applied Physics* 15(5): 632-641. (2015).