

## 隕石における結晶格子剪断誘起のケイ酸塩高压相の準安定的形成 Lattice-shear-induced metastable formation of high-pressure silicates in shocked meteorites

\*富岡 尚敬<sup>1</sup>、奥地 拓生<sup>2</sup>、宮原 正明<sup>3</sup>

\*Naotaka Tomioka<sup>1</sup>, Takuo Okuchi<sup>2</sup>, Masaaki Miyahara<sup>3</sup>

1. 海洋研究開発機構高知コア研究所、2. 岡山大学惑星物質研究所、3. 広島大学理学部地球惑星システム学科

1. Kochi Institute for Core Sample Research, Japan Agency for Marine-Earth Science and Technology, 2. Institute for Planetary Materials, Okayama University, 3. Department of Earth and Planetary Systems Science, Hiroshima University

Heavily shocked meteorites contain various types of high-pressure polymorphs of silicate minerals. These high-pressure minerals are micron to submicron sized and occurred within and in the vicinity of shock-induced melt in stony meteorites. Their occurrence suggests two types of formation mechanisms: (1) solid-state high-pressure transformation of the host-rock minerals into monomineralic polycrystalline aggregates, and (2) crystallization of chondritic or monomineralic melts under high pressure [1]. In some cases of the former process, high-pressure minerals occur as coherent lamellae within grains of the host low-pressure minerals. A typical example is the (Mg,Fe)SiO<sub>3</sub> pyroxene-akimotoite intergrowth in the Tenham meteorite [2]. The akimotoite has relatively high Fe content [Fe/(Mg+Fe)=0.21] but does not have its stability field at any P-T conditions [3]. Therefore, the akimotoite would have been formed metastably due to a rapidly-changing P-T history in the shock event. As another example, a new high-pressure polymorph of olivine, which has been defined as “ $\epsilon$ -phase” with a spinelloid structure, was recently discovered as nano-scale lamellae in ringwoodite [(Mg,Fe)<sub>2</sub>SiO<sub>4</sub>-spinel] and wadsleyite [(Mg,Fe)<sub>2</sub>SiO<sub>4</sub>-spinelloid] grains in Tenham and Miami meteorites, respectively [4]. The phase has never been observed in previous phase equilibrium studies. Both pyroxene-akimotoite and ringwoodite/wadsleyite- $\epsilon$ -phase intergrowths have topotaxy with preserving close-packed oxygen layers for their respective structures. The crystallographic relationships between these host and the product phases suggest that these polymorphic phase transformations are promoted by shear mechanism [5]. This process is achieved by shear deformation of oxygen sublattice associating movements of interstitial cations within single unit-cell dimension. Therefore, shear mechanism is considered to be a favorable mechanism under high differential stress, or under relatively low-temperatures, where atomic diffusion is kinetically hindered. Future experimental studies, which include ultrafast in-situ X-ray diffraction under laser shock compression, and high-resolution electron microscopy on recovered specimens of static high-pressure experiments, would contribute to better understanding of detailed structural changes in naturally shocked samples.

References: [1] Tomioka & Miyahara (2017) *Meteorit. Planet. Sci.*, 52, 2017–2039. [2] Tomioka & Fujino (1999) *Amer. Mineral.*, 84, 267–271. [3] e.g. Ito & Yamada (1982) in *High-Pres. Res. Geophys.*, 405–419. [4] e.g. Tomioka & Okuchi (2017) *Sci. Rep.*, 7, 17351. [5] Tomioka (2007) *J. Mineral. Petrol. Sci.*, 102, 226–232.

キーワード：衝撃変成、隕石、相転移メカニズム、高压鉱物

Keywords: shock metamorphism, meteorites, transformation mechanisms, high-pressure minerals