

## Preliminary results of the first ERG-ground campaign observation of the inner magnetosphere using the PWING ground network

\*塩川 和夫<sup>1</sup>、三好 由純<sup>1</sup>、大山 伸一郎<sup>1</sup>、西谷 望<sup>1</sup>、関 華奈子<sup>2</sup>、大塚 雄一<sup>1</sup>、尾崎 光紀<sup>3</sup>、片岡 龍峰<sup>4</sup>、長妻 努<sup>5</sup>、田中 良昌<sup>4</sup>、篠原 育<sup>6</sup>、能勢 正仁<sup>7</sup>、坂野井 健<sup>8</sup>、土屋 史紀<sup>8</sup>、尾花 由紀<sup>9</sup>、鈴木 臣<sup>22</sup>、新堀 淳樹<sup>1</sup>、堀 智昭<sup>2</sup>、門倉 昭<sup>4</sup>、細川 敬祐<sup>10</sup>、小川 泰信<sup>4</sup>、Connors Martin<sup>11</sup>、Ruohoniemi J. Michael<sup>12</sup>、Sterne Kevin<sup>12</sup>、Engebretson Mark<sup>13</sup>、Steinmetz Erik<sup>13</sup>、Murr David<sup>13</sup>、Turunen Esa<sup>14</sup>、Manninen Jyrki<sup>14</sup>、Kero Antti<sup>14</sup>、Raita Tero<sup>14</sup>、Ulich Thomas<sup>14</sup>、Kozlovsky Alexander<sup>14</sup>、Oksanen Arto<sup>15</sup>、Back Marko<sup>15</sup>、Kauristie Kirsti<sup>16</sup>、Watkins Brenton<sup>17</sup>、Bristow William<sup>17</sup>、Fallen Christopher<sup>17</sup>、Karjala Marty<sup>17</sup>、Begley Tyler<sup>17</sup>、Lessard Marc<sup>18</sup>、Shevtsov Boris<sup>19</sup>、Poddelsky Igor<sup>19</sup>、Baishev Dmitry<sup>20</sup>、Kurkin Vladimir<sup>21</sup>、Oinats Alexey<sup>21</sup>、Pashinin Alexander<sup>21</sup>

\*Kazuo Shiokawa<sup>1</sup>, Yoshizumi Miyoshi<sup>1</sup>, Shin-ichiro Oyama<sup>1</sup>, Nozomu Nishitani<sup>1</sup>, Kanako Seki<sup>2</sup>, Yuichi Otsuka<sup>1</sup>, Mitsunori Ozaki<sup>3</sup>, Ryuho Kataoka<sup>4</sup>, Tsutomu Nagatsuma<sup>5</sup>, Yoshimasa Tanaka<sup>4</sup>, Iku Shinohara<sup>6</sup>, Masahito Nose<sup>7</sup>, Takeshi Sakanoi<sup>8</sup>, Fuminori Tsuchiya<sup>8</sup>, Yuki Obana<sup>9</sup>, Shin Suzuki<sup>22</sup>, Atsuki Shinbori<sup>1</sup>, Tomoaki Hori<sup>2</sup>, Akira Kadokura<sup>4</sup>, Keisuke Hosokawa<sup>10</sup>, Yasunobu Ogawa<sup>4</sup>, Martin G Connors<sup>11</sup>, J. Michael Ruohoniemi<sup>12</sup>, Kevin Sterne<sup>12</sup>, Mark Engebretson<sup>13</sup>, Erik Steinmetz<sup>13</sup>, David Murr<sup>13</sup>, Esa Turunen<sup>14</sup>, Jyrki Manninen<sup>14</sup>, Antti Kero<sup>14</sup>, Tero Raita<sup>14</sup>, Thomas Ulich<sup>14</sup>, Alexander Kozlovsky<sup>14</sup>, Arto Oksanen<sup>15</sup>, Marko Back<sup>15</sup>, Kirsti Kauristie<sup>16</sup>, Brenton Watkins<sup>17</sup>, William Bristow<sup>17</sup>, Christopher Fallen<sup>17</sup>, Marty Karjala<sup>17</sup>, Tyler Begley<sup>17</sup>, Marc Lessard<sup>18</sup>, Boris Shevtsov<sup>19</sup>, Igor Poddelsky<sup>19</sup>, Dmitry Baishev<sup>20</sup>, Vladimir Kurkin<sup>21</sup>, Alexey Oinats<sup>21</sup>, Alexander Pashinin<sup>21</sup>

1. 名古屋大学宇宙地球環境研究所、2. 東京大学、3. 金沢大学、4. 国立極地研究所、5. 情報通信研究機構、6. JAXA宇宙科学研究所、7. 京都大学、8. 東北大学、9. 大阪電気通信大学、10. 電気通信大学、11. アサバスカ大学、12. バージニア工科大学、13. アウグスブルグ大学、14. ソダンキュラ地球物理観測所、15. ニロラ観測所、16. フィンランド気象研究所、17. アラスカ大学フェアバンクス校地球物理研究所、18. ニューハンプシャー大学、19. ロシア科学アカデミー極東支部・IKIR研究所、20. ロシア科学アカデミーシベリア支部・IKFIA研究所、21. ロシア科学アカデミーシベリア支部・ISTP研究所、22. 愛知大学

1. Institute for Space-Earth Environmental Research, Nagoya University, 2. University of Tokyo, 3. Kanazawa University, 4. National Institute of Polar Research, 5. National Institute of Information and Communications Technology, 6. Institute of Space and Astronautical Science, Japan Aerospace Exploration Agency, 7. Kyoto University, 8. Tohoku University, 9. Osaka Electro-Communication University, 10. The University of Electro-Communications, 11. Athabasca University, 12. Virginia Tech, 13. Augsburg College, 14. Sodankylä Geophysical Observatory, 15. Nyrola Observatory, 16. Finnish Meteorological Institute, 17. Geophysical Institute, University of Alaska Fairbanks, 18. University of New Hampshire, 19. Institute of Cosmophysical Research and Radiowave Propagation (IKIR), Far Eastern Branch of the Russian Academy of Sciences, 20. Yu.G.Shafer Institute of Cosmophysical Research and Aeronomy (IKFIA), Siberian Branch of the Russian Academy of Sciences, 21. Institute of Solar-Terrestrial Physics (ISTP), Siberian Branch of the Russian Academy of Sciences, 22. Aichi University

Dynamical variation of particles and waves in the inner magnetosphere is one of the most important research topics in recent space physics. The inner magnetosphere contains plasmas in wide energy ranges from below electron volts to Mega-electron volts. These plasmas (electrons and ions) interact with ULF/ELF/VLF waves at frequencies of 0.1 Hz to 10 kHz to cause their energization in the equatorial plane of the magnetosphere and loss into the ionosphere. In order to provide global distribution and quantitative evaluation of the dynamical variation of plasmas and waves in the inner magnetosphere, we have started PWING Project (study of dynamical variation of Particles and Waves in the INner

magnetosphere using Ground-based network observations, [http://www.isee.nagoya-u.ac.jp/dimr/PWING/PWING\\_web\\_e.htm](http://www.isee.nagoya-u.ac.jp/dimr/PWING/PWING_web_e.htm)), which will last for 5 years from April 2016, as a Grant-in-Aid for Specially Promoted Research of the Japan Society for the Promotion of Science (JSPS). In this PWING project, we operate all-sky aurora/airglow imagers, 64-Hz sampling induction magnetometers, 40-kHz sampling ELF/VLF receivers, and 64-Hz sampling riometers at 8 stations at ~60 MLAT around the north pole, as well as two EMCCD cameras at two stations. The stations are distributed in Canada, Iceland, Finland, Russia, and Alaska. We combine these longitudinal network observations with the ERG (Arase) satellite, which was launched on December 20, 2016, and global modeling. The first campaign observation of PWING project with the newly-launched ERG satellite is planned in the second half of March 2017. In this presentation, we show preliminary results obtained from this first campaign observations based on the PWING ground network observations of these instruments.

キーワード：内部磁気圏、ERG衛星、PWINGプロジェクト、経度ネットワーク

Keywords: inner magnetosphere, ERG satellite , PWING project , longitudinal network

## Ground-based stations of the PWING Project.

● Existing sites ★ New sites

