

## Sound velocity of hcp-Fe at multi-megabar pressures

\*坂巻 竜也<sup>1</sup>、福井 宏之<sup>2</sup>、大谷 栄治<sup>1</sup>、田中 遼介<sup>1</sup>、バロン アルフレッド<sup>3</sup>

\*Tatsuya Sakamaki<sup>1</sup>, Hiroshi Fukui<sup>2</sup>, Eiji Ohtani<sup>1</sup>, Ryosuke Tanaka<sup>1</sup>, Alfred Q.R. Baron<sup>3</sup>

1. 東北大学、2. 兵庫県立大学、3. 理化学研究所

1. Tohoku University, 2. University of Hyogo, 3. RIKEN

Earth's inner core consists of mainly hexagonal close-packed iron (hcp-Fe). Therefore, the physical properties of hcp-Fe can provide significant knowledge about the core. Despite seismological observations providing density-sound velocity data of Earth's core, there are few experimental reports about the sound velocity of hcp-Fe at ultrahigh pressure. Direct comparison of the sound velocity of hcp-Fe with that of observed inner core can provide a clear difference between them, which is an important information to determine the core composition. Here, we report the compressional sound velocity ( $V_p$ ) of hcp-Fe up to 250 GPa using an inelastic X-ray scattering technique at BL43LXU of SPring-8. Based on the data, we can provide a standard of hcp-Fe (a linear relation of  $V_p$  with density: Birch's law), which enables us to indicate a better constraint on the composition of the Earth's core.

キーワード：核、音速、高圧

Keywords: core, sound velocity, high pressure